

# SAFETY DATA SHEET



# 1. IDENTIFICATION

**Product identifier** 

**Product name:** SATINIQUE<sup>TM</sup> Final Step Finishing Spray for medium hold

Other means of identification

Product code: 116822

Synonyms: None

Recommended use of the chemical and restrictions on use

**Recommended use:** Hair spray

Uses advised against: No information available

**Details of the supplier of the safety data sheet** 

Product information: Manufacturer

Amway Canada Corporation Aerofil Technology, Inc. 375 Exeter Road 225 Industrial Park Dr.

London, Ontario N5Y 5V6 Sullivan, MO

Information #: 1-800-265-5470 63080 USA

E-mail address: sds@amway.com

**Emergency telephone number** 

For Transportation ChemTrec @ 1-800-424-9300

**Emergencies:** 

Emergency Telephone Number: For Poisoning Emergencies call Amway's poison control service in the United States at

1-616-787-6307. This is a 24-hour number.

## 2. HAZARD IDENTIFICATION

# Classification

Flammable Aerosols Category 1

### **Label elements**



Replaces Document Revised. 00/00/0000

#### **Hazard statements:**

Extremely flammable aerosol

#### **Precautionary Statements - Prevention**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

### **Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

## Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

· Avoid contact with eyes

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS#	Weight %
Ethyl alcohol	Alcohol	64-17-5	50-60
Ethane, 1,1-difluoro-	Difluoroethane	75-37-6	30-40

Percentages are expressed as a ratio of the weight of the ingredient to the weight of the controlled product (lbs.)

# 4. FIRST AID MEASURES

# First aid measures

**Eye contact:** Remove contact lenses. Rinse with gentle stream of water for 15 minutes, holding eyelids

open. Get medical advice by calling a poison control center, doctor or hospital emergency

room.

**Skin contact:** Rinse skin thoroughly with water.

**Inhalation:** Move to fresh air. If irritation or breathing difficulty develops, GET MEDICAL ADVICE

by calling an anti-poison center, doctor or hospital emergency room.

**Ingestion:** If victim is a child, give 120-240 millilitres of water. For adults, give 240-360 millilitres

of water. Do not induce vomiting when this product is swallowed. If vomiting occurs spontaneously, keep victim in an upright position. GET MEDICAL ADVICE by calling

an anti-poison centre, doctor or hospital emergency room.

**Protection of first-aiders:** Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed

**Symptoms:** No information available.

### Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

in the state of th

## Suitable extinguishing media

#### Suitable extinguishing media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media:**

No information available.

## Specific hazards arising from the chemical

Extremely flammable aerosol. Vapor pressure build-up due to fire heat may cause container rupture and rocketing.

## **Special protective equipment for fire-fighters**

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions:**

Wear appropriate personal protection equipment (respirator, gloves, goggles, and/or faceshield, boots, protective clothing).

#### For emergency responders:

Use personal protective equipment as required.

## **Environmental precautions**

See Section 12 for additional Ecological Information. Prevent further leakage or spillage if safe to do so.

# Methods and material for containment and cleaning up

## **Methods for containment:**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods for cleaning up:

Remove all sources of ignition. Take up with inert, damp, non-combustible material using clean non-sparking tools and place into loosely covered plastic containers for later disposal. Dispose of in accordance with all national and local regulations.

# 7. HANDLING AND STORAGE

#### **Precautions for safe handling**

#### Advice on safe handling:

Pressurised container: May burst if heated. Keep away from heat and sources of ignition. Do not spray toward flame or heated object.

#### **General hygiene considerations:**

Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

#### **Storage conditions:**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in accordance with applicable requirements for aerosols.

#### Materials to avoid

Contact with highly reactive chemicals like strong acids, strong bases, oxidizers or reducing agents may cause a dangerous reaction.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

#### **Exposure limits:**

Chemical Name	Canada - Ontario -			
	TWA	STEL	Ceiling Values	Skin Notation
Ethyl alcohol		1000 ppm		

#### **Derived No Effect Level (DNEL):**

No information available.

#### **Predicted No Effect Concentration (PNEC):**

No information available.

## Appropriate engineering controls

#### **Engineering measures:**

Mechanical ventilation is not normally necessary when this product is used according to label directions.

## Individual protection measures, such as personal protective equipment

**Eye/face protection:** Follow label directions. No special technical protective measures are necessary. Avoid

contact with eyes. Where use conditions and/or extent and duration of exposure differ from typical household consumer use, appropriate protective equipment may be necessary to

minimize exposures.

**Hand protection:** Follow label directions. Skin protection is not normally necessary when this product is

used according to label directions. Where use conditions and/or extent and duration of exposure differ from typical household consumer use, appropriate protective equipment

may be necessary to minimize exposures.

**Skin and body protection:** Follow label directions. Skin and body protection is not normally necessary when this

product is used according to product label directions. Where use conditions and/or extent

and duration of exposure differ from typical household consumer use, appropriate

protective equipment may be necessary to minimize exposures.

**Respiratory protection:** Follow label directions. Respiratory protective equipment is not normally necessary when

this product is used according to product label directions. Where use conditions and/or extent and duration of exposure differ from typical household consumer use, appropriate

protective equipment may be necessary to minimize exposures.

# General industrial hygiene practice:

This product is sold as a consumer product. Where use conditions and/or extent and duration of exposure differ from typical household consumer use, appropriate protective equipment may be necessary to minimize exposures. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state: Aerosol

Appearance:ClearOdour:Floral and alcoholicColour:ColourlessOdour threshold:No information available

Replaces Document Revised: 00/00/0000

PropertyValuesRemarks • MethodpH:8.1 - 8.8Solution (50 %)

of concentrate

Melting point/freezing point:

Boiling point/boiling range:

No information available
No information available

**Flash point:** 15 °C / 59 °F Of concentrate

**Evaporation rate:**No information available **Flammability (solid, gas):**No information available

Flammability limit in air: Upper flammability limit: Lower flammability limit

Revision Date: 22-04-2016

Vapour pressure:No information availableVapour density:No information available

**Specific Gravity:** 0.810 - 0.835 Of concentrate

Water solubility:

Solubility(ies):

Partition coefficient

Auto-ignition temperature:

Decomposition temperature:

No information available

Explosive properties:

Oxidising properties:

No information available
VOC content (%):
No information available
Density:
No information available
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

## Stability:

Stable under normal conditions.

#### **Sensitivity to mechanical impact:**

Do not puncture or incinerate cans.

## Sensitivity to static discharge:

May be ignited by heat, sparks or flames.

#### Possibility of hazardous reactions

Contact with highly reactive chemicals like strong acids, strong bases, oxidizers or reducing agents may cause a dangerous reaction.

## **Conditions to avoid**

Heat, flames and sparks. Keep out of reach of children. Protect from direct sunlight.

# **Incompatible materials:**

Replaces Document Revised: 00/00/0000 SATINIQUE™ Final Step Finishing Spray for medium ho

Not determined.

Revision Date: 22-04-2016

## Hazardous decomposition products

Not determined.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Aggravated medical conditions:** Exposure to this product may aggravate pre-existing skin, eye, and respiratory disorders.

**Principle routes of exposure:** Eye contact, skin contact, inhalation

**Inhalation:** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. Inhalation of vapors or mists may cause irritation of the upper respiratory tract. See

additional information below.

**Eye contact:** Avoid contact with eyes. Contact with eyes may cause irritation.

**Skin contact:** Patch test on human volunteers did not demonstrate irritating properties. Patch test on

human volunteers did not demonstrate sensitisation properties.

**Ingestion:** Ingestion of this product can cause irritation of the mouth and throat, upset stomach,

nausea, vomiting and diarrhea.

**Further information:** Inhalation overexposure to ethanol vapours can cause headache, nausea, dizziness and drowsiness. Studies in laboratory animals involving prolonged and repeated inhalation exposures to ethanol resulted in liver damage. Prolonged and repeated oral dosing of laboratory animals has caused mutagenic and developmental toxicity. The International Agency for Research on Cancer (IARC) has reported ethanol to be carcinogenic (based on chronic ingestion of alcoholic beverages).

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L (Rat) 4 h
64-17-5			

# **Information on toxicological effects**

**Symptoms:** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Non-irritating to the skin. Data obtained on this product or a similar product.

**Serious eye damage/eye irritation** May cause eye irritation.

**Sensitisation:** Patch test on human volunteers did not demonstrate sensitisation properties.

Germ cell mutagenicity: None known

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage

Chemical Name	ACGIH	IARC (International Agency for Research on Cancer)	NTP	OSHA
Ethyl alcohol 64-17-5	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 1	Known	X

Legend

Replaces Document Revised: 00/00/0000 SATINIQUE™ Final Step Finishing Spray for medium hold

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour) X - Present

**Reproductive toxicity:** Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage.

STOT - single exposure: Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

**STOT - repeated exposure:** No information available.

**Aspiration hazard:** No hazard from product as supplied.

# 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Revision Date: 22-04-2016

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl alcohol	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia
64-17-5		mykiss mL/L LC50 static	magna mg/L LC50 10800: 24 h
		13400 - 15100: 96 h	Daphnia magna mg/L EC50 2:
		Pimephales promelas mg/L	48 h Daphnia magna mg/L
		LC50 flow-through 100: 96 h	EC50 Static
		Pimephales promelas mg/L	
		LC50 static	

## Persistence and degradability

No information available.

# Bioaccumulation

Chemical Name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32

#### Mobility in soil

No information available.

## Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging:** Do not puncture or burn, even after use.

US EPA Waste Number D001

in the second of the second of

## 14. TRANSPORT INFORMATION

The listed transportation classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptions.

DOT:

UN/ID No.: UN1950

Proper shipping name: Aerosols

Hazard cass: 2.1

Packing group: Not applicable

**IMDG/ADR:** 

UN/ID No.: UN1950

Proper shipping name: Aerosols

Hazard cass: 2.1

Packing group: Not applicable Marine pollutant: Not applicable

ICAO/IATA:

UN/ID No.: UN1950

Proper shipping name: Aerosols

Hazard cass: 2.1

Packing group: Not applicable Marine pollutant: Not applicable

The information contained in this document is subject to change or update due to changing government regulations. The user of this document assumes responsibility for complying with all applicable national and international laws and regulations regarding the shipment of Dangerous Goods

# 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

This SDS contains all of the information required by the HPR.

## 16. OTHER INFORMATION

## Key or legend to abbreviations and acronyms used in the safety data sheet

TWA - TWA (Time-Weighted Average)

STEL - STEL (Short Term Exposure Limit)

WHMIS (Workplace Hazardous Materials Information System)

The information contained herein is believed to be accurate and represents the best information currently available to us, much of which comes from the manufacturer or supplier of components of this product. Therefore, Access Business Group LLC makes no warranty, express or implied, regarding the accuracy of the data. Health and safety precautions in this data sheet may not be adequate for all individuals and product uses. It is the user's obligation to make certain that this SDS is the most current SDS for the product; to evaluate the information contained in this sheet in connection with the uses to which the product is to be put in the workplace and to use the product safely in accordance with applicable laws and regulations.

Prepared By: Access Business Group LLC, Environmental, Health and Safety Department, Ada, Michigan, U.S.A.

This data sheet contains changes from the previous version in section(s): None

 $BPN:\ 11160$  SATINIQUETM Final Step Finishing Spray for medium hold

Revision Date: 22-04-2016 Replaces Document Revised: 00/00/0000

577114QOL Timai Step Finishing Spray

# \*\*\*END OF SAFETY DATA SHEET\*\*\*